



- NOTES:**
- PARTS MUST BE ROHS COMPLIANT
 - PARTS MUST BE CLEAN OF OIL AND DEBRIS
 - BREAK ALL EDGES

REVISION HISTORY:

| REV | INIT | DATE | NOTES |
|-----|------|----------|--|
| IR | BJB | 5/5/2017 | |
| A | BJB | 8/24/17 | Change 3.200mm bore to 3.250mm and add tolerance Add GDT symbols. Add depth cooling fins. |
| B | Kent | 11/10/17 | Added lateral location spec for bores, added concentricity note |

| | |
|---|--------------------------|
| DRAWN BY: BALDWIN | DATE: 5/5/2017 |
| MATERIAL: 6061 ALUMINIUM | |
| UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. TOLERANCES ARE: | |
| DECIMALS .X±.75 .XX±.25 .XXX±.125 .XXXX±.050 | ANGLES X°±1° 63 |
| BREAK EDGES 0.1/0.5 FILLET RADIUS 0.1/0.5 | |



626 West 66th Street
 Loveland, Colorado 80538, USA
 Phone +1-970-377-1111
 www.alephobjects.com

| | | | |
|------------------------------------|-----------------------------|------------------------|--|
| TITLE DUAL HEAT SINK 0.2 | | | |
| SIZE A | DWG NO. PP-MP0171 | REV. B | |
| SCALE 1.5:1 | DO NOT SCALE DRAWING | SHEET 1 of 1 | |